

Message

---

**From:** Poy, Thomas [poy.thomas@epa.gov]  
**Sent:** 1/13/2017 2:17:04 PM  
**To:** Beslow, Mike [beslow.mike@epa.gov]; Pierard, Kevin [pierard.kevin@epa.gov]; Kuefler, Patrick [kuefler.patrick@epa.gov]  
**Subject:** RE: Arcelor Mittal Indiana Harbor

Kevin/Pat: Mike Beslow is looking for the person assigned to a release from a permitted outfall. I assume this went to one of your Branches. Can you please have someone get back to Mike?

Thanks.

Tom

---

Tom Poy  
Chief, Ground Water and Drinking Water Branch  
USEPA - Region 5  
(312) 886-5991

---

**From:** Beslow, Mike  
**Sent:** Friday, January 13, 2017 7:50 AM  
**To:** Poy, Thomas <poy.thomas@epa.gov>  
**Subject:** Arcelor Mittal Indiana Harbor

Good morning Thomas-

Were you referred a release from a permitted NPDES permitted outfall at Arcelor Mittal IN Harbor earlier this week? If yes, could you please have the person assigned contact me to discuss (I was one of the responders)? If someone has not been assigned, is there someone I could discuss this case with?

Thank you,

---

**Mike Beslow**

On-Scene Coordinator  
US EPA, Region 5  
77 W Jackson (SE-5J)  
Chicago, IL 60604  
voice: (312)353-8678  
fax: (312)582-5139